

The Void of Deployment



Every time a new version was deployed, the old container deleted the webhook before the new one woke up.

v0.0.3 Fix: Decoupled polling and webhook logic. Mio never goes deaf during updates anymore. Local dev hides deployment bugs; production reveals them.

Listening, Even in the Quiet

The Old Way (Assumption = Arrogance):

Blind check-ins & default
silence at 2 AM.

v0.0.3 (Choice = Respect):

Context-aware memory
& user-defined opt-in
schedules.



Warm users: Load last 5
messages, display name,
and profile to pick up the
exact thread.

Cold users: Receive
template messages to
maintain zero LLM API
cost.

Protecting the Magic


Defends the realm:
Protects against aggressive scripts, network retries, and edge cases.

Lightweight armor:
In-memory implementation requires no Redis overhead.

Sustainable magic: Keeps infrastructure costs predictable so Mio is always available for normal users.



From Forms to Feelings



Good UI doesn't just collect data; it makes the user feel seen. Blank fields now return gentle guidance instead of silent failure.

Names: 6 chars max. (Iterated down from 50 based on real user feedback).

Hobbies: Multiselect toggle cards. (You don't just have one hobby).

Backstory: Expanded to 500 chars across distinct relationship types for deep context.

The Invisible Safety Net

+144
New Tests
(Approaching
400 total).



42 E2E
Conversation
Flows & 63 Media
Module Tests.

100% Full
Codebase Audit
Cleared via AI
review/fix
agents.

Test coverage and development speed are positively correlated. We didn't chase new features in v0.0.3; we built the bridge that makes all future features possible.